



MATCH PACK™

for Panasonic EVA1



ANGELBIRD.COM

SPECIAL PRODUCTION WITH EXTENDED TESTING
PROVES THE AV PRO CF MATCH PACK A PERFECT
MATCH FOR PANASONIC EVA1



TODAY'S ENDLESS BIT DEPTH, HIGH FRAME RATES, AND HIGH RESOLUTIONS—4K AND BEYOND—REQUIRE STORAGE SOLUTIONS THAT ARE JUST AS ADVANCED. MEMORY CARDS NEED TO BE FAST, HIGH-CAPACITY, WIDELY COMPATIBLE AND, OF COURSE, EXTREMELY RELIABLE. OUR AV PRO SD CARDS ARE BUILT TO MEET THOSE DEMANDING CRITERIA, NOT ONLY FOR DSLR SYSTEMS BUT ALSO WITH DRONES, WHERE EXTREMES OF TEMPERATURE AND HUMIDITY, AS WELL AS SHOCK, ARE COMMON CHALLENGES.

M
A
T
C
H

P
A
C
K

E
V
A
1

SPECIFICATIONS AND FEATURES



Sustained read speed **300 MB/s**
Sustained write speed **260 MB/s**



X-ray & magnetic proof



2 × AV PRO SD 128 GB
2 × AV PRO SD 256 GB



Shock, dust, water,
temperature proof



SDXC™ | UHS-II | U3 |
Class 10 | V90



Water proof



Records full HD, 3D and
4K video



Operation: -25°C | 85°C
Storage: -40°C | 85°C



Stable Stream™



Built-in write-protect
switch



Media Pouch incl.
4 × CFast / CF | 6 × SD | 2 × XQD

S S D

SPECIFICATIONS / ORDERING

MATCHPACK EVA1

GENERAL SPECIFICATIONS

Capacity
2 × AV PRO SD 128 GB
2 × AV PRO SD 256 GB

Dimensions
32.0 × 24.0 × 2.1 mm
(1.26 × 0.94 × 0.08 in)

Form Factor
SD

Weight
~ 2.0g

TECHNICAL SPECIFICATIONS

Interface
SDXC™, SD 4.0, UHS-II

Features
Write protection by mechanical switch, wear leveling, power management for low power usage, ECC, water resistant

PERFORMANCE SPECIFICATIONS

Sustained Read Speed ¹
300 MB/s

Sustained Write Speed ¹
260 MB/s



RELIABILITY SPECIFICATIONS

Data Reliability
ECC function

Certifications
RoHS, CE, FCC

ELECTRICAL SPECIFICATIONS

DC input voltage
1.8V ± 5%

Power usage (idle/max)
2mW / 1.2W

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature
-25 °C ~ +85 °C

Storage Temperature
-40 °C ~ +85 °C

Operating Humidity
25% to 85% non-condensing

DESIGNED FOR

PANASONIC EVA1
Camera

WARRANTY²

3-year limited warranty

PACKAGE CONTENT

- 2 × AVP128SD | 2 × AVP256SD
- Media Pouch
- baslCColor Mini Target
- Activation code for the full limited warranty and additional free software licenses and content

RETAIL PACKAGING DETAILS

Box dimension
113.0 × 102.0 × 41.0 mm
(4.45 × 4.02 × 0.41 in)

Weight
~ 16.0g | ~ 0.56 oz.

¹ Speed based on internal testing

² To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.

Match Pack is a trademark of Angelbird Technologies GmbH.
PANASONIC is a trademark of Panasonic Corporation.
SD™ is a registered trademark of SD-3C LLC.
All other marks are property of their respective owners.

ORDERING INFORMATION

	Capacity	SKU	EAN	UPC
●	2 × 128GB	MP-EVA1	9120056583638	812937022457
●	2 × 256GB	MP-EVA1-256SDX2	9120056584161	812937022983

SSD